

RESPAWN: the frames your records name

Respawn, an e-sports lounge with a smoothie counter. Case JH-26-0831-B. Period 6A-7B. Today's lesson: Process the scene: review the intake records.

Why this folder opened today

Today you build one intake row for every supplied item. Each row needs the item, its location with both reference distances and units, its photo references, and who handled it. These plates are the frames those photo references name.

Released today: **14 plates**, plus the measured scene sketch. Every plate carries its own frame number, the item it covers, and both reference distances exactly as your record gives them.

Read this before you use a plate

These plates are **drawings**, made from the written case record. Not one of them is a photograph. That matters for the exact reason your reading gives: a photo reference is a pointer to a frame, and a frame is not an identification. A plate shows you where an item was and what the record says about it. It cannot tell you what a stain is.

Where the record does not supply something, the plate leaves it missing on purpose. A dashed boundary with **EXTENT NOT RECORDED** means the record never gave that area a size, so there is nothing on that plate to measure. Copy the status, not a guess.

The plates

OHIO CSI FORENSIC DIVISION · SCENE DOCUMENTATION PLATE

CASE JH-26-0831-B
D06 · Monday 2026-09-14
WHITE LIGHT

W-05 E2-counter

EXTENT NOT RECORDED

counter edge

2

boundary drawn; extent not recorded

counter in elevation, seen from the public floor

OHIO CSI FORENSIC DIVISION

CASE JH-26-0831-B
FRAME W-05
ITEM E2-counter
SEPTEMBER 14, 2026

SCALE IN FRAME PER RECORD
No dimension is supplied here, so nothing on this plate can be measured.

WHAT THIS FRAME COVERS

The candidate stain on the counter edge, white light, with a scale in frame.

THE RECORD, COPIED

E2-counter (swab of the counter-edge candidate stain). 388 cm from RP1, 142 cm from RP2, on the counter edge 92 cm above the floor. Photo references W-05 (white light with scale), UV-01.

USE IT IN YOUR INTAKE ROW

Task B1, one intake row. Location: 388 cm from RP1, 142 cm from RP2, 92 cm above the floor. Photo references: copy W-05 and UV-01 exactly as your record writes them. Task E3 groups this item by collection priority. Check where E2-counter sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT

This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no extent for the marked area, so its boundary is dashed and nothing on this plate is measurable. Do not report a size. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph

JH-26-0831-B · W-05

W-05

E2-counter · 388 cm from RP1 · 142 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The candidate stain on the counter edge, white light, with a scale in frame.

OHIO CSI FORENSIC DIVISION · SCENE DOCUMENTATION PLATE

CASE JH-26-0831-B
D06 · Monday 2026-09-14
ALTERNATE LIGHT SOURCE

UV-01 E2-counter

EXTENT NOT RECORDED

counter edge

2

boundary drawn; extent not recorded

counter in elevation, seen from the public floor

OHIO CSI FORENSIC DIVISION

CASE JH-26-0831-B
FRAME UV-01
ITEM E2-counter
SEPTEMBER 14, 2026

SCALE IN FRAME PER RECORD
No dimension is supplied here, so nothing on this plate can be measured.

WHAT THIS FRAME COVERS

The same counter edge under an alternate light source. The supplied record reports a response here.

THE RECORD, COPIED

Light record: two hits, the counter edge and a floor smear near the head end of the outline. The storeroom and the rest of the floor did not fluoresce. Both hits were photographed under UV with a scale, then under white light, before swabbing.

USE IT IN YOUR INTAKE ROW

Task B1, one intake row. Location: 388 cm from RP1, 142 cm from RP2, 92 cm above the floor. Photo references: copy UV-01 and W-05 exactly as your record writes them. Task E2 asks for a statement that keeps the reported observation separate from an identification. This frame is where the response was reported, and that is all it is. Task C1 is where you correct the claim that the glow identifies blood. Task E3 groups this item by collection priority. Check where E2-counter sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT

This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no extent for the marked area, so its boundary is dashed and nothing on this plate is measurable. Do not report a size. A reported response under an alternate light source is an observation. It does not identify the material, and this plate does not identify it either. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph

JH-26-0831-B · UV-01

UV-01

E2-counter · 388 cm from RP1 · 142 cm from RP2

ALTERNATE LIGHT

RESPONSE REPORTED

EXTENT NOT RECORDED

The same counter edge under an alternate light source. The supplied record reports a response here.

Evidence folder case-b/d06-2026-09-14 · drawn from the supplied case record, not a photograph · 2 / 11

OHIO CSI FORENSIC DIVISION · SCENE DOCUMENTATION PLATE

CASE JH-26-0831-B
D06 · Monday 2026-09-14
WHITE LIGHT

W-06 E2-floor

EXTENT NOT RECORDED

head end of the outline

2

boundary drawn; extent not recorded

floor, viewed from above; tile grid is a drawing convention

OHIO CSI FORENSIC DIVISION

CASE JH-26-0831-B
FRAME W-06
ITEM E2-floor
SEPTEMBER 14, 2026

SCALE IN FRAME PER RECORD
No dimension is supplied here, so nothing
on this plate can be measured.

WHAT THIS FRAME COVERS

The candidate floor stain near the head end of the outline, white light.

THE RECORD, COPIED

E2-floor (swab of the floor candidate stain near the head end of the outline). 406 cm from RP1, 149 cm from RP2, floor. Photo references W-06, UV-02.

USE IT IN YOUR INTAKE ROW

Task B1, one intake row. Location: 406 cm from RP1, 149 cm from RP2. Photo references: copy W-06 and UV-02 exactly as your record writes them. Task B3 groups this item by collection priority. Check where E2-floor sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT

This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no extent for the marked area, so its boundary is dashed and nothing on this plate is measurable. Do not report a size. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph

JH-26-0831-B · W-06

W-06

E2-floor · 406 cm from RP1 · 149 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The candidate floor stain near the head end of the outline, white light.

OHIO CSI FORENSIC DIVISION · SCENE DOCUMENTATION PLATE

CASE JH-26-0831-B
D06 · Monday 2026-09-14
ALTERNATE LIGHT SOURCE

UV-02 E2-floor

EXTENT NOT RECORDED

head end of the outline

2

boundary drawn; extent not recorded

floor, viewed from above; tile grid is a drawing convention

OHIO CSI FORENSIC DIVISION

CASE JH-26-0831-B
FRAME UV-02
ITEM E2-floor
SEPTEMBER 14, 2026

SCALE IN FRAME PER RECORD
No dimension is supplied here, so nothing
on this plate can be measured.

WHAT THIS FRAME COVERS

The same floor area under an alternate light source. The supplied record reports the second of two responses here.

THE RECORD, COPIED

Light record: two hits, the counter edge and a floor smear near the head end of the outline. The storeroom and the rest of the floor did not fluoresce.

USE IT IN YOUR INTAKE ROW

Task B1, one intake row. Location: 406 cm from RP1, 149 cm from RP2. Photo references: copy UV-02 and W-06 exactly as your record writes them. Task B2 asks for a statement that keeps the reported observation separate from an identification. This frame is where the response was reported, and that is all it is. Task C1 is where you correct the claim that the glow identifies blood. Task B3 groups this item by collection priority. Check where E2-floor sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT

This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no extent for the marked area, so its boundary is dashed and nothing on this plate is measurable. Do not report a size. A reported response under an alternate light source is an observation. It does not identify the material, and this plate does not identify it either. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph

JH-26-0831-B · UV-02

UV-02

E2-floor · 406 cm from RP1 · 149 cm from RP2

ALTERNATE LIGHT

RESPONSE REPORTED

EXTENT NOT RECORDED

The same floor area under an alternate light source.
The supplied record reports the second of two responses here.

Evidence folder case-b/d06-2026-09-14 · drawn from the supplied case record, not a photograph · 3 / 11

OHIO CSI FORENSIC DIVISION · SCENE DOCUMENTATION PLATE

CASE JH-26-0831-B
D06 · Monday 2026-09-14
WHITE LIGHT

W-08 Open drawer

IN PLACE, NOT REMOVED

drawer open as found

documented in place and printed; not removed, per the record

OHIO CSI FORENSIC DIVISION

CASE JH-26-0831-B
FRAME W-08
ITEM Open drawer IN PLACE, NOT REMOVED
SEPTEMBER 14, 2026

SCALE IN FRAME PER RECORD
No dimension is supplied here, so nothing on this plate can be measured.

WHAT THIS FRAME COVERS

The open drawer as found, frame 1 of 2.

THE RECORD, COPIED

Open drawer (photographed and printed, not removed). 371 cm from RP1, 118 cm from RP2. Photo references W-08, W-09 with scale. Documented by Team A at 1:44 PM. Status: no bag. In place, documented, not removed. No collector, transfer or receiver may be invented.

The record cites W-08 and W-09 together for the drawer and does not state what separates the two frames.

USE IT IN YOUR INTAKE ROW

Task B1, one intake row. Location: 371 cm from RP1, 118 cm from RP2. Photo references: copy W-08 exactly as your record writes them. The handling entry for this row is documented in place, not removed. There is no collector, transfer or receiver to copy, and task E3 asks when a custody row opens.

WHAT THIS PLATE IS NOT

This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. This item was documented in place and not removed. It has no custody transfer and none may be invented. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph

JH-26-0831-B · W-08

W-08

Open drawer · 371 cm from RP1 · 118 cm from RP2

WHITE LIGHT

IN PLACE, NOT REMOVED

EXTENT NOT RECORDED

The open drawer as found, frame 1 of 2.

OHIO CSI FORENSIC DIVISION · SCENE DOCUMENTATION PLATE

CASE JH-26-0831-B
D06 · Monday 2026-09-14
WHITE LIGHT

W-09 Open drawer

IN PLACE, NOT REMOVED

drawer open as found

documented in place and printed; not removed, per the record

OHIO CSI FORENSIC DIVISION

CASE JH-26-0831-B
FRAME W-09
ITEM Open drawer IN PLACE, NOT REMOVED
SEPTEMBER 14, 2026

SCALE IN FRAME PER RECORD
No dimension is supplied here, so nothing on this plate can be measured.

WHAT THIS FRAME COVERS

The open drawer as found, frame 2 of 2, with a scale in frame.

THE RECORD, COPIED

Open drawer (photographed and printed, not removed). 371 cm from RP1, 118 cm from RP2. Photo references W-08, W-09 with scale. Documented by Team A at 1:44 PM. Status: no bag. In place, documented, not removed. No collector, transfer or receiver may be invented.

The record cites W-08 and W-09 together for the drawer and does not state what separates the two frames.

USE IT IN YOUR INTAKE ROW

Task B1, one intake row. Location: 371 cm from RP1, 118 cm from RP2. Photo references: copy W-09 exactly as your record writes them. The handling entry for this row is documented in place, not removed. There is no collector, transfer or receiver to copy, and task E3 asks when a custody row opens.

WHAT THIS PLATE IS NOT

This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. This item was documented in place and not removed. It has no custody transfer and none may be invented. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph

JH-26-0831-B · W-09

W-09

Open drawer · 371 cm from RP1 · 118 cm from RP2


WHITE LIGHT

IN PLACE, NOT REMOVED

EXTENT NOT RECORDED

The open drawer as found, frame 2 of 2, with a scale in frame.

Evidence folder case-b/d06-2026-09-14 · drawn from the supplied case record, not a photograph · 4 / 11



WHAT THIS FRAME COVERS
The smoothie cup with its straw on the counter, frame 1 of 2.

THE RECORD, COPIED
E3 (smoothie cup with straw). 366 cm from RP1, 160 cm from RP2, on the counter. Photo references W-13, W-14 with scale; no UV hit. Container state: cup about half full, straw in place.

The record cites W-13 and W-14 together for E3 and does not state what separates the two frames.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 366 cm from RP1, 160 cm from RP2. Photo references: copy W-13 exactly as your record writes them. Task E3 groups this item by collection priority. Check where E3 sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.


W-13

E3 · 366 cm from RP1 · 160 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The smoothie cup with its straw on the counter, frame 1 of 2.



WHAT THIS FRAME COVERS
The smoothie cup with its straw on the counter, frame 2 of 2, with a scale in frame.

THE RECORD, COPIED
E3 (smoothie cup with straw). 366 cm from RP1, 160 cm from RP2, on the counter. Photo references W-13, W-14 with scale; no UV hit. Container state: cup about half full, straw in place.

The record cites W-13 and W-14 together for E3 and does not state what separates the two frames.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 366 cm from RP1, 160 cm from RP2. Photo references: copy W-14 exactly as your record writes them. Task E3 groups this item by collection priority. Check where E3 sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.


W-14

E3 · 366 cm from RP1 · 160 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The smoothie cup with its straw on the counter, frame 2 of 2, with a scale in frame.



WHAT THIS FRAME COVERS
The open protein-base container and its lid on the counter, with a scale in frame.

THE RECORD, COPIED
E4 (open protein-base container and its lid). 352 cm from RP1, 176 cm from RP2, on the counter. Photo references W-15, W-16 with scale; no UV hit. Container state: OPEN, scoop inside, lid beside it. The E8 print-lift row also cites W-15 for the container lid.

Two rows cite W-15: the E4 container row and the E8 print-lift row, whose L-3 and L-4 lifts come from the container lid. The record does not separate them further.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 352 cm from RP1, 176 cm from RP2. Photo references: copy W-15 exactly as your record writes them. Task B3 groups this item by collection priority. Check where E4 sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.


W-15

E4 · 352 cm from RP1 · 176 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The open protein-base container and its lid on the counter, with a scale in frame.



WHAT THIS FRAME COVERS
The open protein-base container and its lid, second frame, with a scale in frame.

THE RECORD, COPIED
E4 (open protein-base container and its lid). 352 cm from RP1, 176 cm from RP2, on the counter. Photo references W-15, W-16 with scale; no UV hit. Container state: OPEN, scoop inside, lid beside it.

The record cites W-15 and W-16 together for E4 and does not state what separates the two frames.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 352 cm from RP1, 176 cm from RP2. Photo references: copy W-16 exactly as your record writes them. Task B3 groups this item by collection priority. Check where E4 sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.


W-16

E4 · 352 cm from RP1 · 176 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The open protein-base container and its lid, second frame, with a scale in frame.



WHAT THIS FRAME COVERS
The blender print-lift surface before powder, with a scale in frame.

THE RECORD, COPIED
E8 (print lifts: blender L-1, L-2; container lid L-3, L-4). Blender: 360 cm from RP1, 168 cm from RP2. Lid: with E4. Photo references W-15, W-17 with scale before powder; no UV.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 360 cm from RP1, 168 cm from RP2. Photo references: copy W-17 exactly as your record writes them. Task E3 groups this item by collection priority. Check where E8 sits in your case's PRIORITY record before you explain the recorded order.


WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

W-17

E8 · 360 cm from RP1 · 168 cm from RP2

WHITE LIGHT EXTENT NOT RECORDED

The blender print-lift surface before powder, with a scale in frame.



WHAT THIS FRAME COVERS
The single hair on the storeroom floor at the first officer's flag, with a scale in frame.

THE RECORD, COPIED
E7 (single hair, storeroom floor, at the first officer's flag). Storeroom floor: 598 cm from RP1, 228 cm from RP2. Photo references W-18 with scale, UV-03 (storeroom sweep, no other hits).

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 598 cm from RP1, 228 cm from RP2. Photo references: copy W-18 and UV-03 exactly as your record writes them. Task E3 groups this item by collection priority. Check where E7 sits in your case's PRIORITY record before you explain the recorded order.


WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

W-18

E7 · 598 cm from RP1 · 228 cm from RP2

WHITE LIGHT EXTENT NOT RECORDED

The single hair on the storeroom floor at the first officer's flag, with a scale in frame.



WHAT THIS FRAME COVERS
The storeroom sweep under an alternate light source. The record reports no response in the storeroom.

THE RECORD, COPIED
UV-03 (storeroom sweep, no other hits). The light record reports that the storeroom and the rest of the floor did not fluoresce.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 598 cm from RP1, 228 cm from RP2. Photo references: copy UV-03 and W-18 exactly as your record writes them. The record reports that nothing responded here. Copy that status. It is not the same as no photograph supplied, and not the same as nothing being present. Task B3 groups this item by collection priority. Check where E7 sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. No response reported is not the same as nothing present. Copy the status the record gives. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph JH-26-0831-B · UV-03

UV-03


E7 · 598 cm from RP1 · 228 cm from RP2

ALTERNATE LIGHT

NO RESPONSE REPORTED

EXTENT NOT RECORDED

The storeroom sweep under an alternate light source. The record reports no response in the storeroom.



WHAT THIS FRAME COVERS
The sealed comparison container on the storeroom shelf, with a scale in frame.

THE RECORD, COPIED
E5 (sealed identical protein-base container, comparison item). Storeroom shelf: 610 cm from RP1, 240 cm from RP2. Photo reference W-20 with scale, no UV. Container state: the same product and size as E4, seal intact. E5 is the sealed comparison item. Its intact seal is a reported packaging condition, not an analytical result.

USE IT IN YOUR INTAKE ROW
Task B1, one intake row. Location: 610 cm from RP1, 240 cm from RP2. Photo references: copy W-20 exactly as your record writes them. Task B3 groups this item by collection priority. Check where E5 sits in your case's PRIORITY record before you explain the recorded order.

WHAT THIS PLATE IS NOT
This is a measured drawing made from the written case record, not a photograph and not a photograph of anything that happened. The substrate outline is a drawing convention: the record names the surface and the measurements printed here, not the object's shape. The record gives no dimension for this item, so nothing on this plate is measurable and no size belongs in your row. Case JH-26-0831-B only. Photo numbers repeat between cases and between the practice model, so a frame number alone never identifies a scene.

John Hay Biomedical · original classroom simulation · drawn from the supplied case record, not a photograph JH-26-0831-B · W-20

W-20

E5 · 610 cm from RP1 · 240 cm from RP2

WHITE LIGHT

EXTENT NOT RECORDED

The sealed comparison container on the storeroom shelf, with a scale in frame.


The measured scene sketch

Where every item in this folder sits, plotted from the two distances your record gives. Open it beside your intake sheet.

PLAN RESPAWN

Respawn, an e-sports lounge with a smoothie counter

8 measured positions



HOW TO READ THIS SKETCH

Each item was measured twice, once to RP1 and once to RP2. The two dashed lines running to a point are those two measurements, drawn solid on one item as a worked example. A small black dot is the measured position itself.

Where items sat too close for their numbers to be read, the numbered badge is pushed aside and a thin line runs back to the dot, so the badge moves and the measurement does not. Every number in the key is the number in the case record, unchanged.

WHAT IS DRAWING AND NOT RECORD

No case record gives the distance between RP1 and RP2. Without it, two distances cannot be plotted at all, so this sketch assumes 430 cm and prints the assumption. Every distance to RP1 and to RP2 matches the record exactly; the spacing between the two reference points does not come from the record. No wall, door or room dimension is supplied anywhere, so none is drawn. This is a measured point sketch, not a floor plan, and it is not to be used to argue about what happened.

Frame to row, at a glance

Use this to check you put the right frame number in the right intake row.

Frame	Item	Location as recorded	What the record says about the frame
W-05	E2-counter	388 cm from RP1, 142 cm from RP2, 92 cm above the floor	no extent given
UV-01	E2-counter	388 cm from RP1, 142 cm from RP2, 92 cm above the floor	a response is reported here; no extent given
W-06	E2-floor	406 cm from RP1, 149 cm from RP2	no extent given
UV-02	E2-floor	406 cm from RP1, 149 cm from RP2	a response is reported here; no extent given
W-08	Open drawer	371 cm from RP1, 118 cm from RP2	no extent given
W-09	Open drawer	371 cm from RP1, 118 cm from RP2	no extent given
W-13	E3	366 cm from RP1, 160 cm from RP2	no extent given
W-14	E3	366 cm from RP1, 160 cm from RP2	no extent given
W-15	E4	352 cm from RP1, 176 cm from RP2	no extent given
W-16	E4	352 cm from RP1, 176 cm from RP2	no extent given
W-17	E8	360 cm from RP1, 168 cm from RP2	no extent given
W-18	E7	598 cm from RP1, 228 cm from RP2	no extent given
UV-03	E7	598 cm from RP1, 228 cm from RP2	no response reported here; no extent given
W-20	E5	610 cm from RP1, 240 cm from RP2	no extent given

Where this folder sits

[All days for this case](#) [The whole evidence portfolio](#) [Today's lesson page](#)

JH-26-0831-B · D06 · John Hay Biomedical · PBS Unit 1 evidence portfolio. Every plate is drawn from the supplied classroom simulation record. None is a photograph, and none of it is a real case.